

FASTENER TOOL SELECTION GUIDE

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)				OTHER INSTALLATION TOOLS Mallets #68563, #103935, #121546 and rubber cutting block #378100 or #121597 recommended for use with hole cutters and anvils
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>				
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE® #104500	W-1 HAND PRESS #121274		
DOT® Snap Fastener Button Silver 11/64" Barrel	#333777	#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Button (colored) 3/16" Barrel		#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Button Silver 1/4" Barrel	#333010	#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Button Silver 5/16" Barrel	#333012	#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Normal Action Socket	#333050	#931022*	#104232*	#120742	#100949 or #25204	
DOT® Snap Fastener Hard Action Socket	#333058	#931022*	#104232*	#120742	#100949 or #25204	
DOT® Snap Fastener Standard Stud	#333100	#931037*	#104235* or #103754	#120742	#100949 or #25204	
DOT® Snap Fastener & Pull-The-Dot® Eyelet 1/4"	#333555	#931041*	#104226*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener & Pull-The-Dot® Eyelet 5/16"	#333558	#931041*	#104226*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Screw Stud 3/8", 8-15 Self-Tap	#333105	—	—	—	Phillips Screwdriver	
DOT® Snap Fastener Screw Stud 5/8", 8-15 Self-Tap	#333110	—	—	—	Phillips Screwdriver	
3/8" Machine Screw (10-32)	#333115	—	—	—	Phillips Screwdriver	
5/8" Machine Screw (10-32)	#333118	—	—	—	Phillips Screwdriver	
3/8" Machine Screw (8-32)	#333120	—	—	—	Phillips Screwdriver	
5/8" Machine Screw (8-32)	#333125	—	—	—	Phillips Screwdriver	
DOT® Snap Fasteners Gypsy Stud 3/16" Barrel	#333130	#100899	—	—	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
3/4" Windshield Clip	#333135	—	—	—	No Tool Needed	
7/8" Windshield Clip	#333138	—	—	—	No Tool Needed	
Lift-The-DOT® 2 Prong Stud	#888005	—	—	—	#100972 + #120445	
Lift-The-DOT® Washer	#888010	—	—	—	#120445	
Lift-The-DOT® Socket (Standard Legs)	#888015	—	—	—	#110012 or #100695 + #120445	
Lift-The-DOT® Socket (Extended Legs)	#888017	—	—	—	#110012 or #100695 + #120445	
Lift-The-DOT® Backplate	#888020	—	—	—	#120445	
Lift-The-DOT® Screw Stud 1/2"	#888025	—	—	—	Wrench	
Lift-The-DOT® Machine Screw Stud 3/8"	#888030	—	—	—	Wrench	
Lift-The-DOT® Machine Screw Stud 5/8"	#888035	—	—	—	Wrench	
Pull-The-Dot® (One Way) Snaps - Button	#555777	#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
Pull-The-Dot® (One Way) Snap - Socket	#555050	#586325	#104232*	—	#100949 or #25204	
Pull-The-Dot® (One Way) Snap Stud	#555100	#931037*	#104235* or #103754	—	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
Pull-The-Dot® (One Way) Snap - Screw Stud 3/8"	#555105	—	—	—	Phillips Screwdriver	
DOT® Twist-Lock Barrel Stud	#104803	#104993	—	—	—	
DOT® Twist-Lock Backplate For Barrel Stud	#104804	#104993	—	—	—	
Lift-The-DOT® Eyelet-Type Base Stud	#888050	#106397	—	—	—	
Lift-The-DOT® Long Eyelet-Type Base Stud	#888055	#106397	—	—	—	

* Included with tool kit
 ** Only sold in kits, not individual sale
 *** Loxx® is compatible with the German TENAX® version and it not compatible with the English TENAX® products.

Cloth-To-Cloth (C-C) | Cloth-To-Surface (C-S)

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)			
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>			OTHER INSTALLATION TOOLS
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE® #104500	W-1 HAND PRESS #121274	Mallets #68563, #103935, #121546 and rubber cutting block #378100 or #121597 recommended for use with hole cutters and anvils
Lift-The-DOT® Eyelet-Type Base Washer	#888060	#106397	—	—	—
DOT® Twist-Lock Fastener Eyelet (Standard Legs)	#777005	—	—	—	#108001 or #100696 + #120445
DOT® Twist-Lock Fastener Eyelet (Extended Legs)	#777006	—	—	—	#108001 or #100696 + #120445
DOT® Twist-Lock Washer	#777010	—	—	—	#120445
DOT® Twist-Lock 2 Prong Stud	#777015	—	—	—	#100972 + #120445
DOT® Twist-Lock Fastener Clinch Plate	#777020	—	—	—	120445
DOT® Twist-Lock Fastener 5/8" Screw Stud	#777025	—	—	—	#120751, #100135 or Wrench
DOT® Twist-Lock Fastener 2 Screw Stud	#777030	—	#104619	—	#121386 or #121817 + #100949 (C-C) or #25204 (C-C) or #103543 (C-C) or Phillips Screwdriver (C-S)
DOT® Twist-Lock 2 Screw Stud Double High	#777035	—	#104619	—	#121386 or #121817 + #100949 (C-C) or #25204 (C-C) or #103543 (C-C) or Phillips Screwdriver (C-S)
Screw Flat Head 6 x 1/2"	#777040	—	—	—	Phillips Screwdriver
DOT® Twist-Lock Oversized Washer	#777045	—	—	—	#120445
DOT® Twist-Lock Plastic Reinforced Washer	#777050	—	—	—	#120445
Loxx® Pull It Up Fastener Upper Head with Regular Washer***	#121356	—	—	—	#121387 or #121820 + #121357 or #121358
Loxx® Pull It Up Fastener Upper Head with Long Washer***	#121355	—	—	—	#121387 or #121820 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Regular Washer***	#121349	—	—	—	#121387 or #121820 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Long Washer***	#121348	—	—	—	#121387 or #121820 + #121357 or #121358
Loxx® Pull It Up Fastener 5/8" Self-Tapping Screw Stud***	#121353	—	—	—	Wrench
Loxx® Pull It Up Fastener 1/2" Self-Tapping Screw Stud***	#121354	—	—	—	Wrench
Loxx® Pull It Up Fastener 1-3/8" Oval Plate Stud**	#121350	—	—	—	Screwdriver
Loxx® Pull It Up Fastener 1" Oval Plate Stud**	#121351	—	—	—	Screwdriver
Loxx® Pull It Up Fastener 3/8" Machine Screw Stud***	#121352	—	—	—	Wrench
Nut Stainless Steel**	#121360	—	—	—	Wrench
Lift-The-DOT® Double Height Machine Screw Stud	#888075	—	—	—	Wrench
Loxx® Pull It Up Fastener 3/8" Machine Screw Stud***	#121703	—	—	—	Wrench
Loxx® Pull It Up Fastener Upper Head with Regular Washer***	#121704	—	—	—	#121387 or #121820 + #121357 or #121358
Loxx® Pull It Up Fastener 5/8" Self-Tapping Screw Stud ***	#121755	—	—	—	Wrench
Loxx® Pull It Up Fastener Upper Head Smooth XXL with Regular Washer (4.5 - 9mm)***	#121697	—	—	—	#121387 or #121820 + #121357 or #121358
DOT® Snap Fastener Button Black, 11/64" Barrel	#121670	#931012*	—	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817
Loxx® Pull It Up Fastener Upper Head with Long Washer, <i>Antique Brass</i> (For Thick Assemblies)	#121848	—	—	—	#121387 + #121357 or #121358
Loxx® Pull It Up Fastener Upper Head with Long Washer, <i>Black Chrome</i> (For Thick Assemblies)	#121849	—	—	—	#121387 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Long Washer, <i>Antique Brass</i> (For Thick Assemblies)	#122003	—	—	—	#121387 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Long Washer, <i>Black Chrome</i> (For Thick Assemblies)	#122004	—	—	—	#121387 + #121357 or #121358
DOT® Snap Fastener Normal Action Socket Black	#121671	#931022*	#104232*	#120742	#100949 or #25204
DOT® Snap Fastener Eyelet Black, 1/4" Barrel	#121672	#931041*	#104226*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817
DOT® Snap Fastener Standard Stud Black	#121673	#931037*	#104235* or #103754	#120742	#100949 or #25204
SnapRite® Snap Fastener Button Silver 11/64" Barrel	#104151	#931012*	#104229*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817

* Included with tool kit
 ** Only sold in kits, not individual sale
 *** Loxx® is compatible with the German TENAX® version and it not compatible with the English TENAX® products.

Cloth-To-Cloth (C-C) | Cloth-To-Surface (C-S)

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)				OTHER INSTALLATION TOOLS Mallets #68563, #103935, #121546 and rubber cutting block #378100 or #121597 recommended for use with hole cutters and anvils
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>				
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE® #104500	W-1 HAND PRESS #121274		
SnapRite® Snap Fastener Button Silver 1/4" Barrel	#104154	#931012*	#104229*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
SnapRite® Snap Fastener Button Silver 11/64" Barrel	#104151	#931012*	#104229*	#120742	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
SnapRite® Snap Fastener Button Silver 5/32" Barrel	#104153	#931012*	#104229*	#120742	#100949 + #121386 or #121817	
SnapRite® Snap Fastener Button Silver 1/4" Barrel	#444004	#931012*	#104229*	#120742	#100949 + #121386 or #121817	
SnapRite® Gypsy Stud 3/16" Barrel	#104236	#100899	#104235*	—	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
SnapRite® Pull-The-Dot (One Way) Snap Button 1/4" Barrel	#104299	#931012*	#104229*	—	#100949 + #121386 or #121817; or #25204 + #121386 or #121817	
DOT® Snap Fastener Button 11/64"	#444777	#931012*	—	#120742	#100949 + #121386 or #121817	
DOT® Snap Fastener Button 1/4" Barrel	#444888	#931012*	—	#120742	#100949 + #121386 or #121817	
DOT® Snap Fastener Normal Action Socket (Stainless)	#444050	#931022*	#104232*	#120742	#100949	
DOT® Snap Fastener Stud Cloth-to-Cloth (Stainless)	#444100	#931037*	#104235* or #103754	#120742	#100949	
DOT® Snap Fastener Eyelet (Stainless)	#444555	#931041*	#104226*	#120742	#100949 + #121386 or #121817	
DOT® Snap Fastener Screw Stud 3/8" (Stainless)	#444105	—	—	—	Phillips Screwdriver	
DOT® Snap Fastener Screw Stud 5/8" (Stainless)	#444110	—	—	—	Phillips Screwdriver	
Twist-Lock Fastener Eyelet (Stainless)**	Kit #777600 or #777500	—	—	—	#108001 or #100696 + #120445	
Twist-Lock Fastener 2 Hole Base (Stainless)**		—	#104619	—	#121386 or #121817 + #100949 (C-C) or Phillips Screwdriver (C-S) or #103543 (C-C)	
Twist-Lock Fastener Clinch Plate (Stainless)**		—	—	—	#120445	