

FASTENER TOOL SELECTION GUIDE

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)				OTHER INSTALLATION TOOLS <small>Mallet #68563 and rubber cutting block #378100 recommended for use with hole cutters and anvils</small>
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>				
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE #104500	W-1 HAND PRESS #121274		
DOT® Snap Fastener Button Silver 11/64" Barrel	#333777	#931012*	—	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap Fastener Button (colored), 3/16" Barrel	#333032 #333024 #333028 #333014	#931012*	—	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap Fastener Button Silver, 1/4" Barrel	#333010	#931012*	—	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap Fastener Button Silver 5/16" Barrel	#333012	#931012*	—	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap Fastener Normal Action Socket (Nickel Plated)	#333050	#931022*	#104232*	#120742	#100949 or #25204	
DOT® Snap Fastener Normal Action Socket (Black)	#121671	#931022*	#104232*	#120742	#100949 or #25204	
DOT® Snap Fastener Hard Action Socket	#333058	#931022*	#104232*	#120742	#100949 or #25204	
DOT® Snap Fastener Standard Stud (Nickel Plated)	#333100	#931037*	#104235* + #103754	#120742	#100949 or #25204	
DOT® Snap Fastener Standard Stud (Black)	#121672	#931037*	#104235* + #103754	#120742	#100949 or #25204	
DOT® Snap Fastener & Pull The Dot Eyelet 1/4"	#333555	#931041*	#104226*	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap & Pull The Dot Eyelet 5/16"	#333558	#931041*	#104226*	#120742	#100949 + #102235 or #25204 + #102235	
DOT® Snap Fastener Screw Stud 3/8", 8-15 Self-Tap	#333105	—	—	—	Phillips Screwdriver	
DOT® Snap Fastener Screw Stud 5/8", 8-15 Self-Tap	#333110	—	—	—	Phillips Screwdriver	
3/8" Machine Screw (10-32)	#333115	—	—	—	Phillips Screwdriver	
5/8" Machine Screw (10-32)	#333118	—	—	—	Phillips Screwdriver	
3/8" Machine Screw (8-32)	#333120	—	—	—	Phillips Screwdriver	
5/8" Machine Screw (8-32)	#333125	—	—	—	Phillips Screwdriver	
DOT® Snap Fasteners Gypsy Stud 3/16" Barrel	#333130	#100899	—	—	#100949 + #102235 or #25204 + #102235	
3/4" Windshield Clip	#333135	—	—	—	No Tool Needed	
7/8" Windshield Clip	#333138	—	—	—	No Tool Needed	
DOT® Lift The Dot 2 Prong Stud	#888005	—	—	—	#100972 + #120445	
DOT® Lift The Dot Washer	#888010	—	—	—	Flathead Screwdriver	
DOT® Lift The Dot Socket (Standard Legs)	#888015	—	—	—	#110012 or #100695 + #120445	
DOT® Lift The Dot Socket (Extended Legs)	#888017	—	—	—	#110012 (p173) or #100695 + #120445	
DOT® Lift The Dot Backplate	#888020	—	—	—	Flathead Screwdriver	
DOT® Lift The Dot Screw Stud 1/2"	#888025	—	—	—	Wrench	
DOT® Lift The Dot Machine Screw Stud 3/8"	#888030	—	—	—	Wrench	
DOT® Lift The Dot Machine Screw Stud 5/8"	#888035	—	—	—	Wrench	
DOT® Pull The Dot (One Way) Snaps - Button	#555777	#931012*	—	—	#100949 + #102235 or #25204 + #102235	
DOT® Pull The Dot (One Way) Snap - Socket	#555050	#586325	#104232*	—	#100949 + #25204	
DOT® Pull The Dot (One Way) Snap	#555100	#931037*	#104235*	—	#100949 + #102235 or #25204 + #102235	
DOT® Pull The Dot (One Way) Snap - Screw Stud 3/8"	#555105	—	—	—	Phillips Screwdriver	

* Included with tool kit

** Only sold in kits, not individual sale

*** Loxx® is compatible with the German TENAX® version and it not compatible with the English TENAX® products.

Cloth-To-Cloth (C-C) | Cloth-To-Surface (C-S)

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)			
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>			OTHER INSTALLATION TOOLS <small>Mallet #68563 and rubber cutting block #378100 recommended for use with hole cutters and anvils</small>
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE #104500	W-1 HAND PRESS #121274	
DOT® Common Sense Barrel Stud	#104803	#104993	—	—	—
DOT® Common Sense Backplate For Barrel Stud	#104804	#104993	—	—	—
DOT® Lift The Dot Eyelet-Type Base Stud	#888050	#106397	—	—	—
DOT® Lift The Dot Long Eyelet-Type Base Stud	#888055	#106397	—	—	—
DOT® Lift The Dot Eyelet-Type Base Washer	#888060	#106397	—	—	—
DOT® Common Sense Fastener Eyelet	#777005	—	—	—	#108001 or #100696 (sailrite.com) + #120445
DOT® Common Sense Fastener Eyelet (Extended Legs)	#777006	—	—	—	#108001 or #100696 (sailrite.com) + #120445
DOT® Common Sense Washer	#777010	—	—	—	Flathead Screwdriver
DOT® Common Sense 2 Prong Stud	#777015	—	—	—	#100972 + #120445
DOT® Common Sense Fastener Clinch Plate	#777020	—	—	—	—
DOT® Common Sense Fastener 5/8" Screw Stud	#777025	—	—	—	#120751 (174), #100135 or Wrench
DOT® Common Sense Fastener 2 Screw Stud	#777030	—	#104477	—	#102235 or #104482 + #100949 (C-C) or #25204 (C-C) or Phillips Screwdriver (C-S) or #103543 (C-C)
DOT® Common Sense 2 Screw Stud Double High	#777035	—	#104477	—	#102235 or #104482 + #100949 (C-C) or #25204 (C-C) or Phillips Screwdriver (C-S) or #103543 (C-C)
Screw Flat Head 6 x 1/2"	#777040	—	—	—	Phillips Screwdriver
DOT® Common Sense Oversized Washer	#777045	—	—	—	No tool Needed
DOT® Common Sense Plastic Reinforced Washer	#777050	—	—	—	No Tool Needed
Loxx® Pull It Up Fastener Upper Head with Regular Washer***	#121356	—	—	—	#18211 + #121357 or #121358
Loxx® Pull It Up Fastener Upper Head with Long Washer***	#121355	—	—	—	#18211 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Regular Washer***	#121349	—	—	—	#18211 + #121357 or #121358
Loxx® Pull It Up Fastener Lower Stud with Long Washer***	#121348	—	—	—	#18211 + #121357 or #121358
Loxx® Pull It Up Fastener 5/8" Self-Tapping Screw Stud***	#121353	—	—	—	Wrench
Loxx® Pull It Up Fastener 1/2" Self-Tapping Screw Stud***	#121354	—	—	—	Wrench
Loxx® Pull It Up Fastener 1-3/8" Oval Plate Stud***	#121350	—	—	—	Screwdriver
Loxx® Pull It Up Fastener 1" Oval Plate Stud***	#121351	—	—	—	Screwdriver
Loxx® Pull It Up Fastener 3/8" Machine Screw Stud***	#121352	—	—	—	Wrench
Nut Stainless Steel***	#121360	—	—	—	Wrench
DOT® Lift The Dot Double Height Machine Screw Stud	#888075	—	—	—	Wrench
DOT® Lift The Dot Double Height Stud Two Hole Base	#888070	—	—	—	Screwdriver
Lift The Dot Fastener Standard Height Stud Two Hole Base	#888065	—	—	—	Screwdriver
SnapRite® Snap Fastener Button Silver 11/64" Barrel	#104151	#931012*	#104229*	—	#100949 + #102235 or #25204 + #102235
SnapRite® Snap Fastener Button Silver 1/4" Barrel	#104154	#931012*	#104229*	—	#100949 + #102235 or #25204 + #102235
SnapRite® Snap Fastener Button Silver 11/64" Barrel	#104151	#931012*	#104229*	—	#100949 + #102235 or #25204 + #102235
SnapRite® Snap Fastener Button Silver 5/32" Barrel	#104153	#931012*	#104229*	—	#100949 + #102235
SnapRite® Snap Fastener Button Silver 1/4" Barrel	#444004	#931012*	#104229*	—	#100949 + #102235
SnapRite® Gypsy Stud 3/16" Barrel	#104236	#100899	#104235*	—	#100949 + #102235 or #25204 + #102235
SnapRite® Pull The Dot (One Way) Snap Button 1/4" Barrel	#104299	#931012*	#104229*	—	#100949 + #102235 or #25204 + #102235
DOT® Snap Fastener Button 11/64" (Nickel Plated)	#444777	#931012*	—	#120742	#100949 + #102235
DOT® Snap Fastener Button 11/64" (Black)	#121670	#931012*	—	#120742	#100949 + #102235

* Included with tool kit
 ** Only sold in kits, not individual sale
 *** Loxx® is compatible with the German TENAX® version and it not compatible with the English TENAX® products.

Cloth-To-Cloth (C-C) | Cloth-To-Surface (C-S)

STEP 1: CHOOSE A FASTENER		STEP 2: SELECT AN INSTALLATION TOOL (CHOOSE ONLY ONE TOOL PER FASTENER)				OTHER INSTALLATION TOOLS Mallet #68563 and rubber cutting block #378100 recommended for use with hole cutters and anvils
		STEP 3: CHOOSE DIE (LISTED BELOW) <i>Recommended for quicker, easier installation</i>				
NAME	PART #	PRES-N-SNAP #109011	SNAPRITE #104500	W-1 HAND PRESS #121274		
DOT® Snap Fastener Button 1/4" Barrel	#444888	#931012*	—	#120742	#100949 + #102235	
DOT® Snap Fastener Normal Action Socket (Stainless)	#444050	#931022*	#104232*	#120742	#100949	
DOT® Snap Fastener Stud Cloth-to-Cloth (Stainless)	#444100	#931037*	#104235* + #103754	#120742	#100949	
DOT® Snap Fastener Eyelet (Stainless)	#444555	#931041*	#104226*	#120742	#100949 + #102235	
DOT® Snap Fastener Eyelet (Black)	#121672	#931041*	#104226*	#120742	#100949 + #102235	
DOT® Snap Fastener Screw Stud 3/8" (Stainless)	#444105	—	—	—	Phillips Screwdriver	
DOT® Snap Fastener Screw Stud 5/8" (Stainless)	#444110	—	—	—	Phillips Screwdriver	
Twist Lock Fastener Eyelet (Stainless)**		—	—	—	#120445 or Flathead Screwdriver	
Twist Lock Fastener 2 Hole Base (Stainless)**	Kit #777600 or #777500	—	#104477	—	#102235 or #104482 + #100949 (C-C) or Phillips Screwdriver (C-S) or #103543 (C-C)	
Twist Lock Fastener Clinch Plate (Stainless)**		—	—	—	—	